

TM-T82

Software Installer Guide

M00037904 EN

Cautions and Trademarks

Cautions and Trademarks

Cautions

Seiko Epson Corporation.
The contents of this document are subject to change without notice. Please contact us for the latest information.
While every precaution has taken in the preparation of this document, Seiko Epson Corporation assumes no responsibility for errors or omissions.
Neither is any liability assumed for damages resulting from the use of the information contained herein.
Neither Seiko Epson Corporation nor its affiliates shall be liable to the purchaser of this product or third parties for damages, losses, costs, or expenses incurred by the purchaser or third parties as a result of: accident, misuse, or

☐ No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any

Seiko Epson Corporation shall not be liable against any damages or problems arising from the use of any options or any consumable products other than those designated as Original Epson Products or Epson Approved Products by Seiko Epson Corporation.

failure to strictly comply with Seiko Epson Corporation's operating and maintenance instructions.

abuse of this product or unauthorized modifications, repairs, or alterations to this product, or (excluding the U.S.)

Trademarks

EPSON is a registered trademark of Seiko Epson Corporation.

EXCEED YOUR VISION is a registered trademark of Seiko Epson Corporation.

Microsoft[®], Windows[®], and Windows Vista[®] are registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

© Seiko Epson Corporation 2016. All rights reserved.

For Safety

Key to Symbols

The symbols in this manual are identified by their level of importance, as defined below. Read the following carefully before handling the product.

A Caution:	Provides information that must be observed to avoid damage to your equipment or a malfunction.
Note:	Provides important information and useful tips.

Cautions and Trademarks

Aim of the Manual

This manual provides information on how to use TM-T82 Software & Documents Disc for the product users or development engineers who use the software.

Contents

Contents

Cautions and Trademarks	. 2
Cautions	. 2
Trademarks	. 2
For Safety	. 2
Key to Symbols	. 2
Aim of the Manual	. 3
TM-T82 Software & Documents Disc	. 5
Drivers and Utilities	. 5
Drivers	. 5
Utilities	. 5
Support OS	. 6
Restrictions on Using Multiple Drivers on the Same System	. 6
How to Access the Drivers, Utilities, and Manuals	. 8
Software Installer Screen and Buttons	. 8
Installation	. 9
Troubleshooting	11
The Product Name is Not Displayed in the EpsonNet Config	
Download	12
Installation Flow of the TM-T82 Software & Documents Disc	13

This chapter describes the specifications of TM-T82 Software & Documents Disc.

Drivers and Utilities

Following drivers and utilities are included in the TM-T82 Software & Documents Disc.

Drivers

EPSON Advanced Printer Driver

Windows printer o	driver. The	following ve	rsions are	provided.
-------------------	-------------	--------------	------------	-----------

- ☐ EPSON Advanced Printer Driver Ver.5.xx
- ☐ EPSON Advanced Printer Driver Ver.3.04 (For Windows 2000)

UPOS

Stands for **Unified Point of Service**. This is the standard specification of POS market, which defines drivers for controlling POS peripheral devices in various operation environments. The following drivers are provided.

- ☐ EPSON OPOS ADK
- ☐ EPSON OPOS ADK for .NET
- ☐ EPSON JavaPOS ADK for Windows

EPSON TM Virtual Port Driver

This allows you to convert TM-T82 from serial / parallel to USB / Ethernet. When your POS application has a serial / parallel port of TM-T82, and you want to connect TM-T82 via USB / Ethernet, you can use the USB / Ethernet-connected printer from the application as though the printer is serial printer. Because the tool performs the conversion automatically, you do not need to change the application's ESC/POS commands that controls the printer connected via serial / parallel port.

Utilities

TM-T82 Utility

Allows you to check and configure the TM-T82 settings.

EpsonNet Config

This utility is for configuring network settings, such as IP address, of the printer connected to an Ethernet.

EPSON Monitoring Tool

Use to check a list of status for the Epson printers connected to the network. You can also update certificates for multiple printers used for WPA-Enterprise in a batch.

Support OS

The	e following lists the supported operating systems for running the TM-T82 drivers and utilities.
	Windows 10 (32 bit / 64 bit)
	Windows 8.1 (32 bit / 64 bit)
	Windows 8 (32 bit / 64 bit)
	Windows 7 SP1 (32 bit / 64 bit)
	Windows Vista SP2 (32 bit / 64 bit)
	Windows XP SP3 (32 bit)
	Windows 2000 SP4
	Windows Server 2012 R2 (64 bit)
	Windows Server 2012 (64 bit)
	Windows Server 2008 R2 SP1
	Windows Server 2008 SP2 (32 bit / 64 bit)
	Windows Embedded for Point of Service
	Windows Embedded POSReady 2009
	Tote:
	The printer driver for Windows 2000 is EPSON Advanced Printer Driver Ver.3.04. The EPSON OPOS ADK for .NET and the EPSON TM Virtual Port Driver cannot be used under Windows 2000. TM-T82 Utility does not support the USB printer class TM-T82.

Restrictions on Using Multiple Drivers on the Same System

TM-T82 Software Installer may not install the driver, or if the driver can be installed, the combination of the existing driver and the newly installed driver may not be supported. Refer to the following table.

Before TM-T82 driver is installed TM-T82 Software Installer					
	A	В	С	D	E
EPSON Advanced Printer Driver Ver.3	1	-	-	-	-
EPSON Advanced Printer Driver Ver.4.00 to 4.08	!	-	_*	_*	-
EPSON Advanced Printer Driver Ver.4.09 or 4.17	-	-	-	-	-
EPSON Advanced Printer Driver Ver.4.50 to 4.53	-	-	1	1	1
EPSON Advanced Printer Driver Ver.4.54 or later	-	1	1	1	1
EPSON OPOS ADK Ver.2.67 or earlier	-	-	!	-	-
EPSON OPOS ADK Ver.2.68 or later	-	1	!	1	-
EPSON OPOS ADK for .NET Ver.1.11.8 or earlier	-	-	-	!	-
EPSON OPOS ADK for .NET Ver.1.11.20 or later	-	1	1	!	-
EPSON JavaPOS ADK Ver.1.11.18 or earlier	-	-	-	-	!
EPSON JavaPOS ADK Ver.1.11.20 or later	-	1	-	-	!
TM-S1000 Driver	-	1	1	1	-
TM-S9000/2000 Driver	-	1	1	1	-
TM-J9000 OPOS ADK	-	1	1	1	-
TM-J9000 Advanced Printer Driver	-	1	1	1	-
TM-J9000 Status API	-	1	1	1	-
TMCOMUSB Ver.2	-	-	-	-	-
TMCOMUSB Ver.3 and Ver.4. or EPSON TM Virtual Port Driver Ver.5 to Ver.7.00	1	-	1	1	1
EPSON TM Virtual Port Driver Ver.7.10a or later	-	1	1	1	1
EPSON InkJet Printer Driver	1	1	1	1	1

A: EPSON Advanced Printer Driver Ver.3.04

B : EPSON Advanced Printer Driver Ver.5.xx

C: EPSON OPOS ADK

D: EPSON OPOS ADK for .NET

E: EPSON JavaPOS ADK for Windows

✓: Supported

-: Not supported

* : Can not be installed.

!: TM-T82 Software Installer starts in update mode. The installer shows the version of driver already installed on the computer and allows you to select whether to update the driver or not.

How to Access the Drivers, Utilities, and Manuals

Installed drivers, utilities, and manuals can be accessed from the Start menu. See the manuals provided with each application for details on making settings and so on.

Software Installer Screen and Buttons

The initial screen of the Software Installer and the functions of each button are as follows.



Install Now

Select this button when launching the installer for drivers and utilities. You can select Easy Install or Custom Install.

Manuals

See the hardware manual supplied on the CD.

Suppor

Select when accessing the support website. You can download the latest drivers and utilities.

Select language

Select the language to be shown on the Software Installer.

Exit

Exit the Software Installer.


Installation

Installation

Three types of installation are available, Easy Install, Custom Install, and Update Mode.

Under normal conditions, the necessary drivers and utilities are installed using Easy Install. When you need to add other necessary drivers and utilities, install using Custom Install. When older installed versions of drivers and utilities are detected, Update Mode starts.

See the flow chart on the last page for the installation flow according to the type of installation you select.



Note:

When Easy Install is selected, EpsonNet Config is also installed according to the connection type, and you need to configure the software. See the manuals installed when the software is installed for details on making settings and so on. You can access the manuals from the Start menu.

Installation

The following list shows the software available for installation according to the installation type.

Installable software for each install type

Drivers and Utilities	Easy Install *1	Custom Install	Update Mode *2
EPSON Advanced Printer Driver Ver. 5.xx	✓	✓	✓
EPSON Advanced Printer Driver Manual	-	✓	✓
EPSON Advanced Printer Driver Ver. 3.0.4 *3	✓	/	1
EPSON OPOS ADK	-	✓	✓
EPSON OPOS ADK for .NET	-	✓	✓
EPSON JavaPOS ADK for Windows	-	✓	✓
TM-T82 Utility	✓	✓	✓
EpsonNet Config	✓	✓	✓
EPSON Monitoring Tool	✓	✓	✓
EPSON TM Virtual Port Driver	-	✓	✓

^{*1:} The installed utilities vary according to the connection type.

^{*2:} When software to be updated has already been installed, the application starts in this mode.

^{*3:} For Windows 2000 only.

Troubleshooting

Troubleshooting

If you have a specific problem relating to installation or setup, refer to the appropriate section.

The Product Name is Not Displayed in the EpsonNet Config

If the computer and printer are connected via a USB hub, connect them directly.
Confirm that the "EPSON USB Controller for TM-/BA/EU Printers" pop-up window appears at the bottom right of the screen.
Press the Feed button to finish printing, and the self-test mode terminates.
Use EpsonNet Config Ver.4.5.3 or later.

Download

Download

Latest versions of drivers, utilities, and manuals can be downloaded from one of the following URLs.

For customers in North America, go to the following web site and follow the on-screen instructions: http://www.epson.com/support/

For customers in other countries, go to the following web site: https://download.epson-biz.com/?service=pos

Installation Flow of the TM-T82 Software & Documents Disc

